

Technical data sheet



The Art of Spraying

BREVA3 - 50M



Compressor / BREVA3 - 50M

The BREVA3 - 50M compressor is ideal for small productions thanks to its compact and lightweight design. Easy to transport with its wheels and handle, it delivers optimal performance with a 100% duty cycle.

This versatile tool ensures smooth and efficient operation, making it particularly suitable for spraying applications of less than two hours per day.

| Réf. BREVA3-50M

LOAD RATE
100%

WARRANTY
3 YEARS

CLASS O
ISO 8573-1



TECHNICAL SPECIFICATIONS

Voltage	230 V + T - Single-phase	Tank	50 liters, Epoxy-coated interior
Power	3 HP - 2,2 kW	Dimensions (W x D x H)	550 x 480 x 1 030 mm
Air pressure	10 bar	Weight	44 kg
Airflow rate	19,8 m³/h - 330 L/min	Noise level	68 dB (A)
Airflow rate at 1 bar	260 L/min		

PRODUCT ADVANTAGES

- Oil-free compressed air, ISO 8573.1 standard
- Energy efficient motor
- Maintenance-free up to 1,000 hours of operation
- Equipped with two wheels and a transport handle
- Epoxy-coated interior tank (anti-corrosion)
- 100% duty cycle at 10 bar for continuous use
- Manual drain
- Air separator



User Manual
Compressor



The after-sales service is at your disposal to have your compressor serviced annually.

 **Contact SGI Pastry**

SGI Pastry

*Your catalog
always with you !*



Vanessa HENRION
SGI Pastry Manager

Email : contact@sgi-pastry.com
Mobile : + 33 (0)6 30 03 23 27
Website : www.sgi-pastry.com

*"We are at your disposal to advise you on the most suitable equipment for your daily use.
Optimal results are achieved through a combination of high-quality equipment, a
sufficiently powerful air supply, and your expertise!"*

SGI Pastry

SGI - SPRAY GUN IMPORT
11 rue des Prés de Lyon
10600 La Chapelle-Saint-Luc



@sgi_pastry
@vanessa_sgi_sata



CGV SGI "Métiers
du Dessert".



Testimonial

Jean-Christophe Jeanson

*Executive Chef, Maison Caffet
Meilleur Ouvrier de France*

www.sgi-pastry.com