

## Technical data sheet



This product complies with the provisions of European Directive 2006/42/EU regarding the approximation of the laws of the Member States relating to machinery.

## The Art of Spraying

BREVA II - 500T





## Compressor / BREVA11-500T

This compressor, equipped with a 500 L tank and dual motors, is designed to meet the needs of high-production laboratories.

Thanks to its large capacity and power, it allows the simultaneous use of multiple spray guns or machines, ensuring a continuous and efficient workflow.

Mounted on wheels, it offers practical mobility, making it easy to integrate into various workspaces. Its robust and high-performance design makes it an essential piece of equipment for environments requiring reliable and sustained performance.

CHARGING  
RATE  
100%

WARRANTY  
3 YEARS

CLASS O  
ISO 8573-1



As an option, an air dryer is available to capture all water particles in your system.

Réf. SEC120PACK



Réf. BREVA11-500TPACK

### TECHNICAL SPECIFICATIONS

|                       |                             |                        |                                   |
|-----------------------|-----------------------------|------------------------|-----------------------------------|
| Voltage               | 400 V 3ph + T - Three-phase | Tank                   | 500 liters, Epoxy-coated interior |
| Power                 | 11 HP - 8 kW                | Dimensions (W x D x H) | 2 040 x 670 x 980 mm              |
| Air pressure          | 10 bar                      | Weight                 | 340 kg                            |
| Airflow rate          | 79,2 m³/h - 1 320 L/min     | Noise level            | 78 dB (A)                         |
| Airflow rate at 1 bar | 1 040 L/min                 |                        |                                   |


### PRODUCT ADVANTAGES

- Oil-free compressed air, ISO 8573.1 standard
- Energy efficient motor
- Maintenance-free up to 1,000 hours of operation
- With four wheels
- Epoxy-coated interior tank (anti-corrosion)
- 100% duty cycle at 10 bar for continuous use
- Manual drain
- Hours meter

Three-phase plug model :



User Manual  
Compressor







SGI Pastry



Contact SGI Pastry

SGI Pastry



*Your catalog always  
with you !*



**Vanessa HENRION**  
*SGI Pastry Manager*  
v.henrion@sgi-france.com

**Email:** contact@sgi-pastry.com  
**Mobile:** + 33 (0)6 30 03 23 27  
**After-sales service:** sav@sgi-pastry.com

**Discover our webshop:** [www.sgi-pastry.com](http://www.sgi-pastry.com)

*"We are at your disposal to advise you on the most suitable equipment for your daily use.  
An optimal result will be possible with the combination of quality equipment, a  
sufficiently powerful air supply, and your expertise!"*

SGI Pastry

**SGI SUBSIDIARY**

11 rue des Prés de Lyon  
10600 La Chapelle-Saint-Luc



@sgi\_pastry  
@vanessa\_sgi\_sata

SGI Pastry  
Terms & Conditions of Sale.



We would like to thank all the dessert professionals who contributed to the development of this catalog.  
All rights reserved. Our catalog contains non-contractual photos. The technical information about our products is provided for informational purposes and may be subject to changes.  
Any reproduction, by any means, must be authorized in advance by SGI. Do not throw in public spaces.  
Photo credit: All rights reserved.

SGI-Pastry





— SGI Pastry —

Webshop

[www.sgi-pastry.com](http://www.sgi-pastry.com)

*Testimonial*

*Jean-Christophe Jeanson*

—

*Executive Chef at Maison Caffet  
Meilleur Ouvrier de France*

